



City of Smyrna

Issue Sheet

File Number: 2022-437

City of Smyrna
A.Max Bacon City Hall /
Council Chambers
2800 King Street
Smyrna, GA 30080
770-434-6600
www.smyrnacity.com

Agenda Date: 9/19/2022

Version: 1

Status: Consent Agenda

In Control: City Council

File Type: Authorization

Agenda Number: G.

WARD / COUNCILMEMBER: Ward 3 / Councilmember Travis Lindley

\$ IMPACT:

Agenda Title:

Approval of raised pedestrian crossing on King Springs Road in the vicinity of Brinkley Park and Tolleson Park and authorize the Mayor to sign and execute all related documents.

Ward 3 / Councilmember Lindley

ISSUE AND BACKGROUND:

Sidewalk exists along the west side of King Springs Road, and in various locations along the east side of King Springs Road. However, there are no designated pedestrian crossing locations in the vicinity of Brinkley Park and Tolleson Park.

The Engineering Department recommends a raised pedestrian crossing approximately 350 ft south of the entrance to Brinkley Park. This location provides minimal impact to residential driveways and adequate sight distance. The Engineering Department also recommends a raised pedestrian crossing at the intersection of King Springs Rd & Dunn St to provide pedestrian access to Tolleson Park. Both crossings will include a rectangular rapid flashing beacon (RRFB) system and pedestrian signage.

RECOMMENDATION / REQUESTED ACTION: Engineering Staff recommends approval of raised pedestrian crossings on King Springs Road in the vicinity of Brinkley Park and Tolleson Park and authorize the Mayor to sign and execute all related documents.