



Proposal Option List

2/19/2014

| | | | |
|-------------------------|-----------------------------------|---------------------|-----------------|
| Customer : | Smyrna Fire Department | Bid Number : | 442 |
| Representative : | Brogdon Danny | DB Version: | 02.00.0474.0000 |
| Organization : | Ten-8 Fire Equipment, Inc | Bid Date : | 01/16/2014 |
| Description : | 27480 Arrow-XT Pumper (July unit) | | |
| Body : | Pumper, Med, Alum, 2nd Gen | | |
| Chassis : | Arrow-XT Chassis, 2010 | | |

| Line | Option | Option Description | Qty | Price |
|------|---------|--|-----|------------|
| 1 | 0671399 | Florida Sheriff's Association Bid #11-10-1202, Spec #17 | 1 | 387,678.00 |
| 2 | 0661794 | FSA 3% price increase 2012 | 1 | 11,630.34 |
| 3 | 0584456 | Manufacture Location: Appleton, Wisconsin | 1 | 0.00 |
| 4 | 0584452 | RFP Location: Appleton, Wisconsin | 1 | 0.00 |
| 5 | 0588609 | Vehicle Destination, US | 1 | 0.00 |
| 6 | 0533316 | Comply NFPA 1901 Changes Effective Jan 1, 2009, With Exceptions | 1 | 0.00 |
| 7 | 0533347 | Pumper/Pumper with Aerial Device Fire Apparatus | 1 | 0.00 |
| 8 | 0588611 | Vehicle Certification, Pumper | 1 | 0.00 |
| 9 | 0661778 | Agency, Apparatus Certification, Pumper/Tanker, U.L. | 1 | 0.00 |
| 10 | 0012771 | Stock/Demo No Fire Department | 1 | 0.00 |
| 11 | 0536644 | Customer Service Website | 1 | 0.00 |
| 12 | 0537375 | Unit of Measure, US Gallons | 1 | 0.00 |
| 13 | 0529326 | Bid Bond, 10%, Pierce Built Chassis | 1 | 0.00 |
| 14 | 0540326 | Performance Bond, Not Requested | 1 | 0.00 |
| 15 | 0000007 | Approval Drawing | 1 | 0.00 |
| 16 | 0002928 | Electrical Diagrams | 1 | 0.00 |
| 17 | 0559937 | Arrow-XT Chassis, 2010 | 1 | 0.00 |
| 18 | 0000110 | Wheelbase | 1 | 0.00 |
| | | Wheelbase - 188.50" | | |
| 19 | 0000070 | GVW Rating | 1 | 0.00 |
| | | GVW rating - 46,800# | | |
| 20 | 0000203 | Frame Rails, 13.38 x 3.50 x .375, DLX/Qtm/Enf/AXT/Imp/Vel/Dash CF | 1 | 0.00 |
| 21 | 0050817 | Frame Liner, Inv "L" 12.68" x 3.00" x .25", AXT, Front Reinforcement | 1 | 0.00 |
| 22 | 0018453 | Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, DLX/Enf/Qtm/AXT/DCF | 1 | 0.00 |
| 23 | 0010427 | Suspension, Front TAK-4, 22,800 lb, DLX/Enf/Qtm/AXT/Imp/Vel/Dash CF | 1 | 12,875.00 |
| 24 | 0087572 | Shock Absorbers, KONI, on TAK-4 Qtm/AXT/Imp/Vel/DCF/SFR | 1 | 0.00 |
| 25 | 0000322 | Oil Seals, Front Axle | 1 | 0.00 |
| 26 | 0594821 | Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply | 1 | 0.00 |
| 27 | 0019611 | Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot | 1 | 0.00 |
| 28 | 0530468 | Axle, Rear, Meritor RS24-160, 24,000 lb | 1 | 0.00 |
| 29 | 0544253 | Top Speed of Vehicle, 68 MPH | 1 | 0.00 |
| 30 | 0515563 | Suspen, Rear, Standens, Spring, 24,000 lb | 1 | 0.00 |
| 31 | 0000485 | Oil Seals, Rear Axle | 1 | 0.00 |
| 32 | 0500760 | Tires, Rear, Goodyear, G287 MSA, 12R22.50, 16 ply, Single | 1 | 0.00 |
| 33 | 0654792 | Wheels, Rear, Alcoa-Accuride, 22.50" x 8.25", Aluminum-Steel, Hub Pilot, | 1 | -1,438.00 |
| 34 | 0568081 | Tire Balancing, Counteract Beads | 1 | 0.00 |
| 35 | 0545391 | Tire Pressure Monitoring Valve Cap | 1 | 0.00 |
| | | Qty, Tire Pressure Ind - 6 | | |
| 36 | 0003245 | Axle Hub Covers w/center hole, S/S, Front Axle | 1 | 0.00 |
| 37 | 0001960 | Axle Hub Covers, Rear, S/S, High Hat (Pair) | 1 | 0.00 |
| 38 | 0002045 | Mud Flaps, w/logo front & rear | 1 | 0.00 |
| 39 | 0544802 | Chocks, Wheel, SAC-44-E, Folding | 1 | 506.43 |
| | | Qty, Pair - 01 | | |
| 40 | 0544806 | Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal | 1 | 353.81 |

| | | | | |
|----|---------|---|---|----------|
| | | Location, Wheel chock - under compartment D1. Mount as far forward as possible. | | |
| | | Qty, Pair - 01 | | |
| 41 | 0010670 | ABS Wabco Brake System, Single rear axle | 1 | 0.00 |
| 42 | 0030185 | Brakes, Knorr/Bendix 17", Disc, Front, TAK-4 | 1 | 0.00 |
| 43 | 0000730 | Brakes, Meritor, Cam, Rear, 16.50 x 7.00" | 1 | 0.00 |
| 44 | 0058463 | Air Compressor, Brake, Bendix 15.8 CFM | 1 | 0.00 |
| 45 | 0000785 | Brake Reservoirs, Three | 1 | 0.00 |
| 46 | 0568012 | Air Dryer, Wabco System Saver 1200, 2010 | 1 | 0.00 |
| 47 | 0000790 | Brake Lines, Nylon | 1 | 0.00 |
| 48 | 0000854 | Air Inlet, w/Disconnect Coupling | 1 | 0.00 |
| | | Location, Air Coupling(s) - a) DS Step Well | | |
| | | Qty, Air Coupling (s) - 1 | | |
| 49 | 0586772 | Box, Recessed, Alum Treadplate, for Air Fitting | 1 | 226.17 |
| | | Location - upper rear corner of driver side step well. | | |
| | | Qty, Air Coupling (s) - 1 | | |
| 50 | 0666589 | Engine, DDC DD13, 500 hp, 1650 ft-lb, W/OBD, EPA 2013, AXT | 1 | 6,631.00 |
| 51 | 0001244 | High Idle w/Electronic Engine, Custom | 1 | 0.00 |
| 52 | 0590300 | Engine Brake, Jacobs Compression Brake, DD13 | 1 | 0.00 |
| | | Switch, Engine Brake - f) DD13 | | |
| 53 | 0552334 | Clutch, Fan, Air Actuated, Horton Drive Master | 1 | 0.00 |
| 54 | 0043422 | Air Intake, w/Ember separator, AXT | 1 | 0.00 |
| 55 | 0565965 | Exhaust System, 5", 2010 DD13, ISX engine, Horizontal, Officer Side | 1 | 0.00 |
| 56 | 0557525 | Radiator, AXT | 1 | 0.00 |
| 57 | 0657980 | Cooling Hoses, Gates Silicone - Custom | 1 | 0.00 |
| 58 | 0051125 | Fuel Tank, 75 Gallon, Left Side Fill, DLX/Qtm/AXT/Vel/Imp/Dash CF | 1 | 0.00 |
| 59 | 0001129 | Lines, Fuel | 1 | 0.00 |
| 60 | 0595087 | DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle, DD13, ISL9, ISX | 1 | 0.00 |
| 61 | 0552793 | Not Required, Fuel Priming Pump | 1 | 0.00 |
| 62 | 0552712 | Not Required, Shutoff Valve, Fuel Line | 1 | 0.00 |
| 63 | 0553019 | Cooler, Engine Fuel, Imp/Vel, AXT, Qtm, Saber, Dash CF | 1 | 0.00 |
| 64 | 0592809 | Fuel Fill, Lower | 1 | 170.56 |
| 65 | 0690880 | No Selection Required From This Category | 1 | 0.00 |
| 66 | 0642579 | Trans, Allison 5th Gen, 4000 EVS P, With Prognostics | 1 | 0.00 |
| 67 | 0510876 | Transmission, Shifter, 6-Spd, Push Button | 1 | 0.00 |
| | | Trans, ratio - 4000 EVS, 6Spd | | |
| 68 | 0001475 | Transmission Oil Cooler, Internal | 1 | 0.00 |
| 69 | 0001375 | Driveline, Spicer 1810 | 1 | 0.00 |
| 70 | 0669988 | Steering, Sheppard M110 w/tilt, TAK-4, Eaton Pump, w/ Cooler | 1 | 0.00 |
| 71 | 0001544 | Not Required, Steering assist cylinder on front axle | 1 | 0.00 |
| 72 | 0509230 | Steering Wheel, 4 Spoke without Controls | 1 | 0.00 |
| 73 | 0550144 | Logo/Emblem, on Horn Button | 1 | 0.00 |
| | | Text, Row One - SMYRNA | | |
| | | Text, Row Three - FIRE | | |
| | | Text, Row Two - * | | |
| 74 | 0658669 | Bumper, 19" Extended Steel Painted, AXT, Dash CF, Paint Feature | 1 | 0.00 |
| | | Paint, Color - Red #90 | | |
| 75 | 0510226 | Lift & Tow Package, Imp/Vel, AXT, Dash CF | 1 | 0.00 |
| 76 | 0522573 | No Tow Hooks Required, Due to Lift and Tow package | 1 | 0.00 |
| 77 | 0012256 | Tray, Hose center, 19" bumper w/outside Air Horns | 1 | 0.00 |
| | | Capacity, Bumper Tray - 09) 150' of 1.50" | | |
| | | Grating, Bumper extension - Grating, Rubber | | |
| 78 | 0072354 | Cover, Alum Treadplate, (notched), Hose Tray, D-Ring | 1 | 501.00 |
| | | Location - center tray in bumper extension | | |
| | | Qty, Hose Tray Covers - 1 | | |
| | | Stay arm, Tray Cover - b) Pneumatic Stay Arm | | |
| 79 | 0660435 | Coating, Top Flange, Front Bumper, Outside Exterior, Rhino Lining, Black | 1 | 320.67 |
| 80 | 0559290 | Cab, Arrow-XT 2010, 6710 Raised Roof | 1 | 0.00 |

| | | | | |
|-----|---------|--|---|----------|
| 81 | 0677478 | Rear Wall, Exterior, Cab, Aluminum Treadplate | 1 | 0.00 |
| 82 | 0562663 | Cab Lift, Elec/Hyd, 2010 AXT | 1 | 0.00 |
| 83 | 0640431 | Grille, Bright Finished, Front of Cab, Arrow-XT | 1 | 0.00 |
| 84 | 0032508 | Trim, s/s band across cab face | 1 | 789.67 |
| | | Material Trim/Scuffplate - e) S/S, Patterned | | |
| 85 | 0087357 | Molding, Chrome on Side of Cab | 1 | 0.00 |
| 86 | 0521669 | Mirrors, Retractable, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex | 1 | 0.00 |
| 87 | 0563095 | Door, Half-Height, Arrow-XT 4-Door Cab, 10" Raised Roof | 1 | 0.00 |
| 88 | 0655608 | Door Panel, Polished Stainless Steel, Arrow-XT Cab | 1 | 0.00 |
| 89 | 0554539 | Controls, Electric Roll-Up Windows, 4dr, 1 Driver Control, AXT | 1 | 732.11 |
| 90 | 0563603 | Steps, 4-Door Cab, Std, AXT | 1 | 0.00 |
| 91 | 0697689 | Steps, Stirrup, Formed w/Grip Strut, Cab & Crew Cab Doors | 1 | 967.39 |
| | | Light, Step, Additional - P25 LED | | |
| 92 | 0509656 | Lights, Cab and Crew Cab Access Steps, P25, LED w/Bezel, 2 Lights Per Step | 1 | 66.41 |
| 93 | 0005772 | Fenders, S/S on cab, w/Radius corner, 2.00" wide | 1 | 207.00 |
| 94 | 0566915 | Window, Side of C/C, Fixed, Arrow-XT 2010 | 1 | 0.00 |
| 95 | 0012090 | Not Required, Windows, Front/Side of raised roof | 1 | 0.00 |
| 96 | 0050359 | Windows, Rear CC, (2) stationary, 11.29"W x 17.95"H, AXT | 1 | 0.00 |
| 97 | 0566891 | Cab Interior, Imperial 1200, AXT | 1 | 254.55 |
| | | Color, Cab Interior Vinyl/Fabric - c) Black | | |
| 98 | 0012430 | Cab Interior, paint color | 1 | 0.00 |
| | | Color, Cab Interior Paint - a) gray | | |
| 99 | 0032100 | Floor, Rubber Padded Cab & Crew Cab - DLX/Enf/AXT | 1 | 0.00 |
| 100 | 0043079 | Heater/defroster, AXT | 1 | 0.00 |
| 101 | 0565450 | Air Conditioning, Arrow-XT 2010, Center Mount | 1 | 0.00 |
| 102 | 0660960 | Dual Condensate Drain Tubes for A/C Drip Pan, AXT | 1 | 329.44 |
| 103 | 0069332 | Grab Handles, Driver Side Low & Officer Dash Panel | 1 | 0.00 |
| 104 | 0002526 | Light, Engine Comp, All Custom Chassis | 1 | 0.00 |
| 105 | 0122516 | Fluid Check Access, Imp/Vel, AXT | 1 | 0.00 |
| 106 | 0583039 | Not Required, Side Roll and Frontal Impact Protection | 1 | 0.00 |
| 107 | 0699999 | Not Required, Frontal Impact Protection, 2010 | 1 | 0.00 |
| 108 | 0699998 | Not Required, Side Roll Protection Package, 2010 | 1 | 0.00 |
| 109 | 0000109 | Seating Capacity, Cab | 6 | 0.00 |
| | | Qty, - 06 | | |
| 110 | 0678508 | Seat, Driver, Bostrom Sierra, Air Ride, Hi-Back, 2010 | 1 | 0.00 |
| 111 | 0678487 | Seat, Officer, Bostrom 450, Fixed, SCBA, 2010 | 1 | 365.00 |
| 112 | 0002518 | Radio Compt w/Non Air Ride Seat | 1 | 0.00 |
| | | Radio Compt Size, Officer - d) Arrow-XT | | |
| 113 | 0678481 | Seat, Rr Facing C/C, DS Outboard, Bostrom 450, SCBA, 2010 | 1 | 258.00 |
| 114 | 0102783 | Not Required, Seat, Rr Facing C/C, Center | 1 | 0.00 |
| 115 | 0678477 | Seat, Rr Facing C/C, PS Outboard, Bostrom 450, SCBA, 2010 | 1 | 258.00 |
| 116 | 0108189 | Not Required, Seat, Forward Facing C/C, DS Outboard | 1 | 0.00 |
| 117 | 0678305 | Seat, Fwd Facing C/C, Ctr, (2) Bostrom 400CT, SCBA, 2010 | 1 | 938.00 |
| 118 | 0108190 | Not Required, Seat, Forward Facing C/C, PS Outboard | 1 | 0.00 |
| 119 | 0007968 | Upholstery, Seats In Cab, All Dura-Wear, Bostrom | 1 | 0.00 |
| | | Color, Cab Interior Vinyl/Fabric - h) Gray/Black | | |
| 120 | 0677039 | Bracket, Air Bottle Bostrom "SecureAll", Cab Seats, Bostrom Only | 5 | 2,454.62 |
| | | Qty, - 05 | | |
| 121 | 0553381 | Seat Belt Height Adjustment, AXT/QTM | 1 | 0.00 |
| 122 | 0547293 | Seat Belts, Red | 1 | 0.00 |
| 123 | 0691237 | Seat Belt Monitoring System | 1 | 0.00 |
| 124 | 0543917 | Helmet Storage, Provided by Fire Department | 1 | 0.00 |
| 125 | 0675807 | Lights, Dome, Weldon, LED, Two (2) Lights, Dual Light and Lens | 1 | 109.66 |
| 126 | 0552520 | Lights, Dome CC, (2) Weldon, 8081-7000-13 LED, Red/Clear, Gry Bezel | 1 | 0.00 |
| 127 | 0544332 | Portable Hand Light, Provided by Fire Department, Pumper NFPA | 1 | 0.00 |
| 128 | 0567650 | Cab Instruments, Blk Gags, Blk Bez, AXT 2010 | 1 | 0.00 |
| 129 | 0002544 | Air Restriction Indicator - Pierce Chassis | 1 | 0.00 |
| 130 | 0543751 | Light, Do Not Move Apparatus | 1 | 52.00 |

| | | | | |
|-----|---------|---|---|----------|
| | | Alarm, Do Not Move Truck - a) Steady Alarm | | |
| 131 | 0005925 | Light, Open Door - Custom Std | 1 | 0.00 |
| 132 | 0043467 | Switching, Cab Instrument & Overhead, Rocker Sw's, AXT Location, Emerg Switch - a) driver's | 1 | 0.00 |
| 133 | 0012630 | Wiper Control, 2-Speed with Intermittent, DLX/Enf/AXT | 1 | 0.00 |
| 134 | 0548004 | Wiring, Spare, 15 A 12V DC 1st 12vdc power from - Battery direct Location - between driver and officer seat on dashboard Qty, - 02 Wire termination - p) 15 amp power point plug | 2 | 265.10 |
| 135 | 0543930 | Vehicle Data Recorder, Dual Module | 1 | 0.00 |
| 136 | 0062356 | Antenna Mount, VariableThickness, Custom Location - passenger side cab roof. Qty, - 01 | 1 | 167.64 |
| 137 | 0043083 | Electrical power/signal protection & control, AXT | 1 | 0.00 |
| 138 | 0599704 | Electrical System, AXT 2010 | 1 | 0.00 |
| 139 | 0080385 | Batteries, (6) Exide Grp 31, 750 CCA each, Threaded Stud | 1 | 426.00 |
| 140 | 0008621 | Battery System, Single Start, All Custom Chassis | 1 | 0.00 |
| 141 | 0567608 | Battery Compartment, Arrow-XT 2010 | 1 | 0.00 |
| 142 | 0032690 | Charger, Sngl Sys, IOTA, DSL-45, 45 amp | 1 | 816.16 |
| 143 | 0012779 | Location, Charger, In Seat Box, "All Custom Chassis" | 1 | 194.20 |
| 144 | 0530960 | Not Required, Remote Battery Charger Indicator | 1 | 0.00 |
| 145 | 0016857 | Shoreline, 20A 120V, Kussmaul Auto Eject, "Super" Color, Kussmaul Cover - b) red Connection, Shoreline - battery charger Qty, Shoreline - 1 | 1 | 481.98 |
| 146 | 0026800 | Shoreline Location Location, Shoreline (s) - 25) DS Cab Side | 1 | 85.13 |
| 147 | 0647728 | Alternator, 430 amp, Delco Remy 55SI | 1 | 627.00 |
| 148 | 0002762 | Load Manager, Kussmaul Mark I, (7) Channels | 1 | 713.00 |
| 149 | 0649721 | Cab Lighting, LED, AXT, Rectangular LED Head Lts, Truck-Lite 10006Y LED Beehive | 1 | 1,749.27 |
| 150 | 0511567 | Lights, Identification/Clearance, Rear, Truck-Lite, 15050R and P25 LED | 1 | 0.00 |
| 151 | 0564683 | Lights, Tail, Whelen M6BTT Red LED Stop/Tail, M6T Am LED, Arw Dir, For TI Lt Hsg | 1 | 0.00 |
| 152 | 0561471 | Lights, Backup, Whelen M6BUW, LED, For Tail Lt Housing | 1 | 0.00 |
| 153 | 0664481 | Bracket, License Plate & Light, P25 LED | 1 | 72.29 |
| 154 | 0556842 | Bezels, Whelen, (2) M6 chrome Pierce, For mtg (4) Whelen M6 lights | 1 | 530.42 |
| 155 | 0589905 | Alarm, Back-up Warning, PRECO 1040 | 1 | 0.00 |
| 156 | 0521285 | Light, Directional/Marker, Intermediate Light, Truck-Lite Model 60115Y LED | 1 | 133.36 |
| 157 | 0536455 | Lights, Perimeter Scene Cab Exits, Amdor Lumabar, AY-9500-020, 20" LED, Qty, Lights - 04 Z location - * | 4 | 0.00 |
| 158 | 0547523 | Lights, Perimeter Scene, (4) Amdor Lumabar, H2O, AY-9500-020 LED Switch, Location, Perim - Parking brake | 1 | 0.00 |
| 159 | 0556360 | Lights, Step, P25 LED 4lts | 1 | 0.00 |
| 160 | 0569150 | Light, Visor, Whelen, 12V PFP2 Pioneer LED Floodlt, 1st Color, WIn Lt Housing - White Paint Location, driver's/passenger's/center - centered Qty, - 01 Switch, Lt Control 1 DC,1 - f) PS Switch Panel Switch, Lt Control 2 DC,2 - f) Pump Operator's Panel Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control | 1 | 1,885.34 |
| 161 | 0589761 | Light, Whelen, 12V PFP1 Pioneer LED Floodlt, PBA103 Recessed 15 Deg 2nd Color, WIn Lt Housing - White Paint Location, lights - recessed behind passenger side crew cab door,high as possible. | 1 | 1,207.26 |

| | | | | |
|-----|---------|---|---|----------|
| | | Qty, - 01 | | |
| | | Switch, Lt Control 1 DC,1 - a) DS Switch Panel | | |
| | | Switch, Lt Control 2 DC,2 - f) Pump Operator's Panel | | |
| | | Switch, Lt Control 3 DC,3 - d) No Control | | |
| | | Switch, Lt Control 4 DC,4 - d) No Control | | |
| 162 | 0589768 | Light, Whelen, 12V PFP1 Pioneer LED Floodlt, PBA103 Recessed 15 Deg 1st Color, WIn Lt Housing - White Paint Location, lights - recessed behind driver side crew cab door,high as possible. | 1 | 1,207.26 |
| | | Qty, - 01 | | |
| | | Switch, Lt Control 1 DC,1 - f) PS Switch Panel | | |
| | | Switch, Lt Control 2 DC,2 - f) Pump Operator's Panel | | |
| | | Switch, Lt Control 3 DC,3 - d) No Control | | |
| | | Switch, Lt Control 4 DC,4 - d) No Control | | |
| 163 | 0532358 | Not Required, Deck Lights, Other Hose Bed & Rear Lighting | 1 | 0.00 |
| 164 | 0645869 | Lights, Hose Bed, Sides, Whelen 01-066D068-00 LED, 2" Light, 4lts Control, Hose Bed Lts - Cup Switch At Rear | 1 | 390.32 |
| 165 | 0645677 | Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body | 1 | 0.00 |
| 166 | 0645687 | Lights, Rear Scene, Whelen, M6ZC LED, 1st Control, Rear Scene Lts - Cab Switch Panel DS Location, lights - Rear body bulkhead, inside the tail light bezel assembly, one (1) each side. | 2 | 881.00 |
| | | Qty, - 02 | | |
| 167 | 0060115 | Pumper, Med, Alum, 2nd Gen | 1 | 0.00 |
| 168 | 0554271 | Body Skirt Height, 20" | 1 | 0.00 |
| 169 | 0028245 | Tank, Water, 750 Gallon, Poly, Med | 1 | 0.00 |
| 170 | 0003405 | Overflow, 4" Water Tank, Poly | 1 | 0.00 |
| 171 | 0028104 | Foam Cell Required | 1 | 0.00 |
| 172 | 0044431 | Sleeve through Tank - Up to 3" Plumbing Qty, Sleeve - 1 | 1 | 310.12 |
| 173 | 0553729 | Not Required, Restraint, Water Tank, Heavy Duty | 1 | 0.00 |
| 174 | 0003429 | No Direct Tank Fill Req'd | 1 | 0.00 |
| 175 | 0003424 | (No Dump Valve required) | 1 | 0.00 |
| 176 | 0048710 | Jet Assist Not Req'd | 1 | 0.00 |
| 177 | 0030007 | (No Dump Chute Required) | 1 | 0.00 |
| 178 | 0514778 | Not Required, Switch, Tank Dump Master | 1 | 0.00 |
| 179 | 0126633 | Hose Bed, Alum, Pumper | 1 | 0.00 |
| 180 | 0003481 | Hose Bed Capacity, Special Capacity, Hosebed - Bed #1 - 500' of 2.5", Bed #2 - 1000' of 5", Bed #3 - 500' of 2.5" | 1 | 0.00 |
| 181 | 0003488 | Divider, Hose Bed, Unpainted Qty, Hosebed Dividers - 2 | 2 | 499.00 |
| 182 | 0589278 | Hose Restraint, Hosebed, Velcro Strap on Top, 2" Heavy Nylon Web at Rear Nylon Web Color - Black Type of fastener - 2" cam buckle Type of fastener, Rear - 2" cam buckle - bottom of hosebed | 1 | 0.00 |
| 183 | 0010133 | Cross-divider, Hose Bed | 1 | 434.17 |
| 184 | 0076724 | Runningboard, Bustin Bar Grating, Type N | 1 | 650.50 |
| 185 | 0676055 | Tailboard, 16" Deep, Bustin Bar Grating, Type N | 1 | 644.66 |
| 186 | 0690037 | Wall, Rear, Smooth Aluminum/Body Material Material Trim/Scuffplate - a) 4-way alum, Bright | 1 | 0.00 |
| 187 | 0003531 | Tow Bar, Under Tailboard | 1 | 0.00 |
| 188 | 0003561 | Construction, Compt, Alum, Pumper | 1 | 0.00 |
| 189 | 0023650 | DS 152" Rollup, Full Height Front & Rear, FDLER | 1 | 0.00 |
| 190 | 0063658 | PS 152" Rollup, Full Height Front & Rear, FDLER | 1 | 0.00 |
| 191 | 0594005 | Doors, Rollup, AMDOR, Side Compartments Color, Roll-up Door - ad) AMDOR painted to match lower Latch, Roll-up Door - Lift-bar | 6 | 0.00 |

| | | | | |
|-----|---------|---|---|----------|
| | | Qty, Door Accessory - 06 | | |
| 192 | 0083701 | Rear - Rollup Dr/44.50" FF | 1 | 0.00 |
| 193 | 0594003 | Door(s), AMDOR, Roll-up, Rear Compt | 1 | 0.00 |
| | | Color, Roll-up Door - aaa) AMDOR satin aluminum | | |
| | | Latch, Roll-up Door - Lift-bar | | |
| 194 | 0554995 | No Body Modification Required | 1 | 0.00 |
| 195 | 0019845 | Guard, Drip Pan, S/S, Roll-up Door | 7 | 890.04 |
| | | Location, Door Accessory - all body compartments | | |
| | | Qty, Door Accessory - 07 | | |
| 196 | 0657320 | Lights, Compt, Amdor AY-9220 LED, Dual Light Strip, Amdor Clips | 7 | 1,988.98 |
| | | Qty, - 07 | | |
| 197 | 0687146 | Shelf Tracks, Painted | 7 | 383.00 |
| | | location - All body compartments | | |
| | | Qty, Shelf Track - 07 | | |
| 198 | 0687112 | Shelves, Adjustable, 500 lb Capacity, Full Width/Depth, Painted | 7 | 573.00 |
| | | Location, Shelf - One shelf in D1, D2, D3 (upper), P1, P2, P3 (upper) and one shelf in R1 (upper) | | |
| | | Qty, Shelf - 07 | | |
| 199 | 0003982 | Tray, 500 lb Slide-out, 2" Sides - Floor Mounted | 4 | 1,996.00 |
| | | Location - One tray in compartments D1, D3, P1,P3 | | |
| | | Qty, Tray (slide-out) - 04 | | |
| 200 | 0004016 | Rubrail, Aluminum Extruded, Side of Body | 1 | 0.00 |
| 201 | 0004024 | Fender Crowns, Rear, S/S | 1 | 778.40 |
| 202 | 0519849 | Not Required, Hose, Hard Suction | 1 | 0.00 |
| 203 | 0585654 | Handrails, Side Pump Panels (6), Per Print | 1 | 0.00 |
| 204 | 0004126 | Handrail, Beavertail -Std. | 1 | 0.00 |
| 205 | 0004146 | Handrail, Rear Below Hose Bed, Full Width | 1 | 0.00 |
| 206 | 0657651 | Compt, Air Bottle, Double, Full Width Door, Fender Panel | 3 | 924.00 |
| | | Door Finish, Fender Compt - Polished | | |
| | | Insert, Air Bottle Compt - Rubber Matting and W-Shaped Insert | | |
| | | Latch, Air Bottle Compt - Flush Lift & Turn | | |
| | | Location, Fender Compt - Double - DS Rear, Double - PS Fwd and Double - PS Rear | | |
| | | Qty, Air Bottle Comp - 3 | | |
| 207 | 0656100 | Compt, Air Bottle, Single, Common Double Door, Fender Panel | 1 | 800.53 |
| | | Door Finish, Fender Compt - Polished | | |
| | | Insert, Air Bottle Compt - Rubber Matting | | |
| | | Latch, Air Bottle Compt - Flush Lift & Turn | | |
| | | Location, Fender Compt - Single - DS Fwd - DEF Combo | | |
| | | Qty, Air Bottle Comp - 1 | | |
| 208 | 0004225 | Ladder, 24' Duo-Safety 900A 2-Sect | 1 | 0.00 |
| 209 | 0004230 | Ladder, 14' Duo-Safety 775A Roof | 1 | 0.00 |
| 210 | 0049958 | Ladders Btwn Tank & S.Sht, Ext'd Rr, Encl'd Complete, RPH, PS | 1 | 1,290.00 |
| | | Door, Material & Finish, Ladder Storage - c) smooth aluminum | | |
| | | Latch, Door Ladder Storage - Lift and Turn | | |
| 211 | 0014245 | Ladder, Folding, 10' 585A, Duo-Safety, w/Mtg | 1 | 0.00 |
| | | Location, Fold Ladder - d) Ladder comp | | |
| 212 | 0548184 | Pike Pole, 8' Akron, Fiberglass | 1 | 0.00 |
| | | Location - in ladder storage compartment | | |
| | | Qty, Pike Poles - 1 | | |
| 213 | 0548205 | Pole, Pike 6' Akron, Fiberglass | 1 | 0.00 |
| | | Location - in ladder storage compartment | | |
| | | Qty, Pike Poles - 1 | | |
| 214 | 0004361 | Tubes, Alum, Pike Pole Storage | 2 | 0.00 |
| | | Location - in ladder storage compartment | | |
| | | Qty, Pike Pole Tubes - 02 | | |
| 215 | 0004380 | Steps, Folding, Front of Body, Eberhard | 1 | 0.00 |
| 216 | 0051915 | Steps, Combo Folding Eberhard & Corner, Rear of Body | 1 | 0.00 |

| | | | | |
|-----|---------|---|---|-----------|
| 217 | 0004390 | Step, Folding - Extra, Body Only, Eberhard Location, Additional Step - Two additional steps on passenger side front body bulkhead Qty, Folding Step - 02 | 2 | 592.63 |
| 218 | 0004425 | Pump, Waterous, CSU, 1500 GPM, Single Stage | 1 | 0.00 |
| 219 | 0004482 | Seal, Mechanical, Waterous | 1 | 786.15 |
| 220 | 0091446 | Pump Setup Charges N/A | 1 | 0.00 |
| 221 | 0559769 | Transmission, Pump, Waterous C20 Series | 1 | 0.00 |
| 222 | 0535256 | Shift, Air w/ Manual Over, Split Shaft PTO, Waterous | 1 | 0.00 |
| 223 | 0003148 | Transmission Lock-up, EVS | 1 | 0.00 |
| 224 | 0004547 | Auxiliary Cooling System | 1 | 0.00 |
| 225 | 0014486 | (No Transfer Valve Required on 1 Stage Pump) | 1 | 0.00 |
| 226 | 0004517 | Valve, Relief Intake, Elkhart | 1 | 0.00 |
| 227 | 0692045 | Controller, Pressure, FRC, Pump Boss, PBA400 | 1 | 0.00 |
| 228 | 0072153 | Primer, Trident, Air Prime, Air Operated | 1 | 0.00 |
| 229 | 0058516 | Manuals, Pump (2), CD | 1 | 0.00 |
| 230 | 0089351 | Plumbing, Stainless Steel & Hose (Control Zone) | 1 | 0.00 |
| 231 | 0064656 | Not Required, Black Iron Pipe with S/S Plumbing | 1 | 0.00 |
| 232 | 0004645 | Inlets, 6.00" - 1250 GPM or Larger Pump | 1 | 0.00 |
| 233 | 0004646 | Cap, Long Handle Pump Inlet, NST - VLH | 1 | 0.00 |
| 234 | 0084610 | Valves, Akron 8000 series- All | 1 | 0.00 |
| 235 | 0004660 | Inlet, LH Side, 2.50" Gated | 1 | 0.00 |
| 236 | 0029147 | No Auxiliary Inlet Required on RH Side | 1 | 0.00 |
| 237 | 0016158 | Valve, Inlet(s) Recessed, Side Cntrl, "Control Zone" Qty, Inlets - 1 | 1 | 0.00 |
| 238 | 0004700 | Control, Inlet, at Valve | 1 | 0.00 |
| 239 | 0092569 | No Rear Inlet (Large Dia) Requested | 1 | 0.00 |
| 240 | 0092696 | No Rear Suction Cap | 1 | 0.00 |
| 241 | 0064116 | No Rear Inlet Actuation Required | 1 | 0.00 |
| 242 | 0009648 | No Rear Intake Relief Valve Req'd | 1 | 0.00 |
| 243 | 0092568 | No Rear Auxiliary Inlet Requested | 1 | 0.00 |
| 244 | 0563738 | Valve, .75 Bleeder, Aux. Side Inlet, Swing Handle | 1 | 0.00 |
| 245 | 0029043 | Line, (1) 3.00" Tank to Pump | 1 | 0.00 |
| 246 | 0004905 | Outlet, 1.50" Tank Fill | 1 | 0.00 |
| 247 | 0004940 | Outlet(s), LH Side, 2.50" Qty, Discharges - 01 | 1 | -1,224.00 |
| 248 | 0092570 | No Additional LH Outlets Requested | 1 | 0.00 |
| 249 | 0004945 | Outlet(s), RH Side, 2.50" Qty, Discharges - 01 | 1 | 0.00 |
| 250 | 0550252 | Outlet, RH Side, 4.00" w/3.00" Plumbing, Handwheel Control, (added) Qty, Discharges - 01 | 1 | 0.00 |
| 251 | 0029137 | No Large Diameter Discharge Requested | 1 | 0.00 |
| 252 | 0649939 | Outlet, Front, 1.50" w/2.00" Plumbing Drain, Front Outlet - Class 1 Automatic Fitting, Outlet - 1.50" NST with 90 degree swivel Location, Front - top of left bumper | 1 | 2,158.19 |
| 253 | 0004995 | Outlet, Rear, 2.50" Location, Outlet - b) driver's side Qty, Discharges - 01 | 1 | 0.00 |
| 254 | 0092574 | No Rear Outlet (Added) Requested | 1 | 0.00 |
| 255 | 0092573 | No Hosebed/Running Board Outlet Requested | 1 | 0.00 |
| 256 | 0075788 | Caps for 1.50" - 3.00" Discharges/Inlets, Vinyl Cable | 1 | 71.33 |
| 257 | 0563739 | Valve, .75 Bleeder, Discharges, Swing Handle | 1 | 0.00 |
| 258 | 0005091 | Elbows, 45 Degree - 2.50" Outlets LH - VLH | 1 | 0.00 |
| 259 | 0035094 | No Elbows Req'd (Added LH Outlets) | 1 | 0.00 |
| 260 | 0025091 | Elbows, 45 Degree - 2.50" Outlets RH - VLH | 1 | 0.00 |
| 261 | 0659072 | Elbow, 30 Degree - 4.00"(F) x 5.00" Storz | 1 | 408.94 |
| 262 | 0045091 | Elbows, 45 Degree - 2.50" Outlets Rear - VLH | 1 | 0.00 |

| | | | | |
|-----|---------|---|---|----------|
| 263 | 0085695 | No Elbows Req'd, Added Rear, Large Outlet | 1 | 0.00 |
| 264 | 0007308 | No Elbows Req'd, Side Large Dia Discharge | 1 | 0.00 |
| 265 | 0062133 | Control, Outlets, Manual, Pierce HW if applicable | 1 | 0.00 |
| 266 | 0055107 | Outlet, 3.00" Deluge Riser, Akron Valve, Handwheel | 1 | 0.00 |
| 267 | 0029302 | No Monitor Requested | 1 | 0.00 |
| 268 | 0029304 | No Nozzle Req'd | 1 | 0.00 |
| 269 | 0005070 | Deluge Mount, NPT | 1 | 0.00 |
| 270 | 0029167 | Crosslays Sngl Sheet unpainted, (2+) 1.50", Std. Cap Qty, Crosslays - 2 | 2 | 0.00 |
| 271 | 0090442 | Crosslays Sngl Sheet unpainted, (1) 2.50" Std Cap | 1 | 2,954.72 |
| 272 | 0029260 | Not Required, Speedlays | 1 | 0.00 |
| 273 | 0591145 | Hose Restraint, Crosslay/Deadlay, Top and Ends, Elastic Netting Qty, - 03 | 3 | 168.00 |
| 274 | 0019853 | Crosslays, 8.00" Lower Than Standard - Control Zone with 9.00" Raised PH | 1 | 682.20 |
| 275 | 0592633 | Foam Sys, Husky 3, Single Agent Amount of Disc. W/Foam - 4 Discharge - Three (3) Crosslays and Front Hose Tray | 1 | 8,104.50 |
| 276 | 0012126 | Not Required, CAF Compressor | 1 | 0.00 |
| 277 | 0592527 | Refill, Foam Tank, Integral, Husky 3 | 1 | 0.00 |
| 278 | 0042573 | Not Required, Foam System Demonstration | 1 | 0.00 |
| 279 | 0005446 | Foam Cell, 20 Gallon Foam, Brand Name - Chemguard Type of Foam - Class "A" | 1 | 1,395.53 |
| 280 | 0697589 | Drain, 1.00", Foam Tank #1, Husky 3 Foam System | 1 | 0.00 |
| 281 | 0091079 | Not Required, Foam Tank #2 | 1 | 0.00 |
| 282 | 0091112 | Not Required, Foam Tank Drain | 1 | 0.00 |
| 283 | 0007590 | Pump House, Side Control, 52", "Control Zone" | 1 | 0.00 |
| 284 | 0032479 | Pump Panel Configuration, Control Zone | 1 | 0.00 |
| 285 | 0005520 | Panel, Pump and Gauge, Black Vinyl | 1 | 0.00 |
| 286 | 0005578 | Panel, Pump Access - Pass Side Only | 1 | 0.00 |
| 287 | 0037731 | Pump House Structure, Raised , Included with Ladder Storage | 1 | 0.00 |
| 288 | 0005945 | Light, Pump Compt | 1 | 0.00 |
| 289 | 0586382 | Engine Indicators, Included With Pressure Controller | 1 | 0.00 |
| 290 | 0005601 | Throttle Included w/ Pressure Controller | 1 | 0.00 |
| 291 | 0549333 | Indicators, Engine, Included with Pressure Controller | 1 | 0.00 |
| 292 | 0511078 | Gauges, 4.0" Master, Class 1, 30"-0-600psi | 1 | 0.00 |
| 293 | 0511100 | Gauge, 2.0" Pressure, Class 1, 30"-0-400psi | 1 | 0.00 |
| 294 | 0062586 | Gauge, Water Level, Class 1, Pierce Std. | 1 | 0.00 |
| 295 | 0062992 | Gauge, Foam Level, (1) Tank, Class 1 | 1 | 532.65 |
| 296 | 0593161 | Light Shield, S/S LED | 1 | 0.00 |
| 297 | 0066052 | Air Horns, (2) Grover in Bumper Outside Frame Location, Air Horn (bmpr) - recessed in front bumper, outside frame rails, siren speakers inboard. Front 1.50" outlet on driver side next to center | 1 | 355.00 |
| 298 | 0016065 | Control, Air Horn, Horn Ring, PS Chrome Push Button | 1 | 0.00 |
| 299 | 0550598 | Siren, Whelen 295HFS2 Remote, Single Amp | 1 | 0.00 |
| 300 | 0015283 | Location, Elect Siren Location - recessed in switch panel number #7 | 1 | 212.63 |
| 301 | 0006149 | Control, Elec Siren, PS Foot Sw | 1 | 0.00 |
| 302 | 0581959 | Speaker, Whelen SA315P w/Pierce Polished Stainless Steel Grille, 100 watt Connection, Speaker - siren head Qty, Speakers - 1 | 1 | 0.00 |
| 303 | 0548455 | Location, Recessed in the Front Bumper, Passenger Side | 1 | 0.00 |
| 304 | 0016080 | Siren, Federal Q2B | 1 | 0.00 |
| 305 | 0677326 | Siren, Mechanical, Recessed In Grille, AXT | 1 | 595.96 |
| 306 | 0026170 | Control, Mech Siren, DS Foot Sw, PS Push Button | 1 | 42.63 |
| 307 | 0568315 | Lightbar, Whelen, Freedom, FN**QLED, 6-R, 2-W, 2-RC Color, Lens, LED's - c)clear Length, Wln Lightbar - 82" | 1 | 1,031.00 |

| | | | | |
|-----|---------|---|---|------------|
| 308 | 0016380 | No Additional Lights Req'd, Side Zone Upper | 1 | 0.00 |
| 309 | 0540460 | Light, Front Zone, Whelen M6*C LED, Clear Lens, 4lts Q Bezel Color, Lt DS Frnt Outside - r) DS Front Outside Red Color, Lt DS Front Inside - r) DS Front Inside Red Color, Lt PS Frnt Outside - r) PS Front Outside Red Color, Lt PS Front Inside - r) PS Front Inside Red | 1 | 1,142.00 |
| 310 | 0653937 | Flasher, Headlight Alternating Headlt flash deactivation - a)w/high beam | 1 | 94.75 |
| 311 | 0540692 | Lights, Side Zone Lower, Whelen M6*C LED, Clear Lens, 3pr, Ovr 25 Color, Lt Side Front - r) Side Front Lt Red Color, Lt Side Middle - r) Side Middle Lt Red Color, Lt Side Rear - r) Side Rear Lt Red Location, lights frt side - b)each side bumper Location, lights mid - over front cab wheel wells, one each side. Location, lights rear - over rear body wheel wells, one each side. | 1 | 1,128.00 |
| 312 | 0540783 | Lights, Rear Zone Lower, Whelen M6*C LED, Clear Lens Color, Lt DS Rear - r) DS Rear Lt Red Color, Lt PS Rear - r) PS Rear Lt Red | 1 | 381.00 |
| 313 | 0540804 | Lights, Rear, Whelen M6*C LED, Clear Lens Color, Light - ae) red Control, light - c) rear lower warning Location - rear body bulkhead, mid-height, one each side. Qty, - 02 | 2 | 700.02 |
| 314 | 0088745 | Light, Rear Zone Upper, Whelen L31HRFN LED Beacon, Red LED Color, Dome, Rear Warning - j) both domes clear | 1 | 446.00 |
| 315 | 0006551 | Not Required, Lights, Rear Upper Zone Blocking | 1 | 0.00 |
| 316 | 0006615 | Mtg, Rear Warn Lts, On Top of Compt | 1 | 0.00 |
| 317 | 0529684 | Light, Traffic Directing, Whelen TAL65, 36.01" Long LED Activation, Traffic Dir L - c)with the control head | 1 | 1,083.90 |
| 318 | 0551728 | Location, Traf Dir Lt, Recessed with S/S Trim | 1 | 357.49 |
| 319 | 0530282 | Location, Traf Dir Lt Controller, Overhead Switch Panel DS Right End | 1 | 54.46 |
| 320 | 0671685 | Mounting Provisions, Will-Burt Night Scan, Powerlite NS 3.0 10', Cab | 1 | 167.10 |
| 321 | 0519934 | No generator and no 120 V lights | 1 | -20,663.00 |
| 322 | 0007150 | Bag of Nuts and Bolts Qty, Bag Nuts and Bolts - 1 | 1 | 0.00 |
| 323 | 0532883 | NFPA Required Loose Equipment, Pumper, Provided by Fire Department | 1 | 0.00 |
| 324 | 0540114 | Soft Suction Hose, Provided by Fire Department, Pumper NFPA Classification | 1 | 0.00 |
| 325 | 0027023 | No Strainer Required | 1 | 0.00 |
| 326 | 0533269 | Extinguisher, Dry Chemical, Pumper, Provided by Fire Department | 1 | 0.00 |
| 327 | 0533278 | Extinguisher, 2.5 Gal. Pressurized Water, Pumper, Provided by Fire | 1 | 0.00 |
| 328 | 0532921 | Axe, Flathead, Pumper, Provided by Fire Department | 1 | 0.00 |
| 329 | 0532924 | Axe, Pickhead, Pumper, Provided by Fire Department | 1 | 0.00 |
| 330 | 0559682 | Paint, Two Tone, Cab, w/Shield, Custom Cab Paint Color, Upper Area - White #10 UPPER Paint, Color - Red #90 LOWER | 1 | 998.58 |
| 331 | 0646901 | Paint Chassis Frame Assy, With Liner, E-Coat, Standard Paint Color, Frame Assembly - Black | 1 | 555.97 |
| 332 | 0645644 | No Pick Required | 1 | 0.00 |
| 333 | 0693797 | No Paint Required, Aluminum Front Wheels | 1 | 0.00 |
| 334 | 0687653 | Paint, Rear Wheels, Single Axle, Alum-Stl Paint, Wheels - Red #90 | 1 | 182.29 |
| 335 | 0007230 | Compartment, Painted, Spatter gray | 1 | 0.00 |
| 336 | 0544129 | Reflective Band, 1"-6"-1" Color, Reflect Band - A - a) white Color, Reflect Band - B - l) white Color, Reflect Band - C - w) white | 1 | 393.24 |
| 337 | 0077356 | Reflective, Cab Face, Below the S/S Trim Band | 1 | 0.00 |
| 338 | 0536954 | Stripe, Chevron, Rear, Diamond Grade, Pumper | 1 | 0.00 |

| | | | | |
|-----|---------|---|---|-----------|
| | | Color, Rear Chevron DG - fluorescent yellow green | | |
| 339 | 0017359 | Stripe, Black Outline, Vinyl on Reflective Band | 3 | 221.02 |
| | | Qty, - 03 | | |
| 340 | 0593225 | Stripe, Reflective, Cab Doors Interior, Diamond Grade | 1 | 0.00 |
| | | Color, Reflect Band - A - p) fluorescent yellow green diamond grade | | |
| 341 | 0027286 | Not Required, Lettering Specs | 1 | 0.00 |
| 342 | 0007472 | [Lettering not Requested] | 1 | 0.00 |
| 343 | 0031972 | Manuals, Two (2), Fire Apparatus Parts, Custom Chassis | 1 | 0.00 |
| 344 | 0002905 | Manuals, Two (2) Chassis Service, Custom | 1 | 0.00 |
| 345 | 0032433 | Manuals, Two (2) Chassis Operation, Custom | 1 | 0.00 |
| 346 | 0030008 | Warranty, Basic, 1 Year, Apparatus, WA0008 | 1 | 0.00 |
| 347 | 0595239 | (No Pick Required) | 1 | 0.00 |
| 348 | 0696696 | Warranty, Engine, Detroit DD13, 5 Year, WA0180 | 1 | 0.00 |
| 349 | 0684953 | Warranty, Steering Gear, Sheppard M110, 3 year WA0201 | 1 | 0.00 |
| 350 | 0596017 | Warranty, Frame, 50 Year, Custom Chassis, WA0013 | 1 | 0.00 |
| 351 | 0595245 | (No Pick Required) | 1 | 0.00 |
| 352 | 0595698 | Warranty, Axle, 3 Year, TAK-4, WA0050 | 1 | 0.00 |
| 353 | 0530524 | Warranty, Axle, 2 Year, Meritor, General Service, WA0046 | 1 | 0.00 |
| 354 | 0652758 | Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232 | 1 | 0.00 |
| 355 | 0019914 | Warranty, Structure, 10 Year, Custom Cab, WA0012 | 1 | 0.00 |
| 356 | 0595813 | Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055 | 1 | 0.00 |
| 357 | 0046369 | Warranty, 5-year EVS Transmission, Standard Custom, WA0187 | 1 | 0.00 |
| 358 | 0688798 | Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195 | 1 | 0.00 |
| 359 | 0596025 | Warranty, Structure, 10 Year, Body, WA0009 | 1 | 0.00 |
| 360 | 0693126 | Warranty, AMDOR, Roll-up Door, 10 Year/5 Year Painted, WA0185 | 1 | 0.00 |
| 361 | 0063510 | Warranty, Pump, Waterous, 5 Year Parts, WA0225 | 1 | 0.00 |
| 362 | 0648675 | Warranty, 10 Year S/S Pumbing, WA0035 | 1 | 0.00 |
| 363 | 0657990 | Warranty, Foam System, Husky 3, WA0231 | 1 | 0.00 |
| 364 | 0595820 | Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057 | 1 | 0.00 |
| 365 | 0593921 | Not Required, Warranty, No Lettering | 1 | 0.00 |
| 366 | 0683627 | Certification, Vehicle Stability, CD0089 | 1 | 0.00 |
| 367 | 0647162 | Certification, Engine Installation, AXT, Detroit DD13, CD0117 | 1 | 0.00 |
| 368 | 0686786 | Certification, Power Steering, CD0098 | 1 | 0.00 |
| 369 | 0543934 | Certification, Cab Integrity, AXT | 1 | 0.00 |
| 370 | 0548949 | Certification, Cab Door Durability, AXT, CD0002 | 1 | 0.00 |
| 371 | 0548968 | Certification, Windshield Wiper Durability, AXT, CD0006 | 1 | 0.00 |
| 372 | 0548952 | Certification, Electric Window Durability, AXT, CD0003 | 1 | 0.00 |
| 373 | 0549275 | Certification, Seat Belt Anchors and Mounting, AXT, CD0019 | 1 | 0.00 |
| 374 | 0694929 | Certification, Cab Heater and Defroster, AXT, CD0094 | 1 | 0.00 |
| 375 | 0545073 | Amp Draw Report, NFPA 2009 Edition | 1 | 0.00 |
| 376 | 0002758 | Amp Draw, NFPA Radio Allowance | 1 | 0.00 |
| 377 | 0000018 | PUMPER, 2ND GEN | 1 | 0.00 |
| 378 | 0000012 | PIERCE CHASSIS | 1 | 0.00 |
| 379 | 0562778 | DD13 ENGINE | 1 | 0.00 |
| 380 | 0046396 | EVS 4000 Series TRANSMISSION | 1 | 0.00 |
| 381 | 0020011 | WATEROUS PUMP | 1 | 0.00 |
| 382 | 0020009 | POLY TANK | 1 | 0.00 |
| 383 | 0028048 | FOAM SYSTEM | 1 | 0.00 |
| 384 | 0020006 | SIDE CONTROL | 1 | 0.00 |
| 385 | 0020007 | AKRON VALVES | 1 | 0.00 |
| 386 | 0020015 | ABS SYSTEM | 1 | 0.00 |
| 387 | 0658751 | Multiple Discount | 1 | -4,788.80 |

Total List : \$452,554.00