BENTLEY, BENTLEY & BENTLEY

Attorneys at Law

FRED D. BENTLEY, SR. FRED D. BENTLEY, JR.* R. RANDALL BENTLEY, SR. 241 WASHINGTON AVENUE MARIETTA, GEORGIA 30060 (770) 422-2300 BBANDBLAW.COM

OF COUNSEL

SAM P. HENSLEY, JR.
JAMIE S. WINGLER
LAUREN L. MCKENZIE
STAN D. BABB
COLEEN D. HOSACK
B. BLAKE HUNGERFORD

ASSOCIATE ATTORNEYS

J. MATTHEW BENTLEY

ESTABLISHED 1948

FACSIMILE No.: (770) 424-5820

*ADMITTED TO PRACTICE IN LOUISIANA AND TEXAS

June 20, 2017

Rusty Martin, Senior Planner City of Smyrna, Community Development Brawner Hall 3180 Atlanta Road Smyrna, Georgia 30080

> RE: Variance Applications Clipper Petroleum, Inc.

> > 5220 South Cobb Drive, Smyrna, Georgia 30082

Dear Mr. Martin:

Our firm represents Clipper Petroleum, Inc. Please find enclosed the three (3) Variance Applications for the proposed convenience store/fueling station and restaurant for the property listed above, along with a check for the filing fee in the amount of \$1,350.00. We understand that the property shall be posted on June 26, 2017. The variance hearing shall be held on July 12, 2017 at 10:00 a.m. before the City of Smyrna License and Variance Board in the Council Chambers in City Hall, 2800 King Street, Smyrna, Georgia 30080. The Variance Applications requested are:

- 1) Building setback reduction on South Cobb Drive;
- 2) Building setback reduction for the southwest corner of the structure; and
- 3) Parking space reduction.

Along with the Variance Applications, you will find enclosed the following Exhibits:

Exhibit A	Summary of Conditions Necessitating Variances;
Exhibit B	Plat;
Exhibit C	Site Plan;
Exhibit D	Photographic examples of similar structure;
Exhibit E	Paid Tax Receipt;
Exhibit F	List of Adjacent Property Owners; and
Exhibit G	Parking Study
Exhibit H	Legal Description
Exhibit I	Campaign Contribution Disclosure Affidavit

Pursuant to the Variance Application instructions, Paragraph 9, proof of notice to the adjacent property owners shall be submitted prior to the hearing.

If you have any questions regarding this matter, please feel free to call.

Sincerely,

R. Randall Bentley, Sr.

R. Randall Burks S.

Enclosures

To:

CITY OF SMYRNA

Attn: Rusty Martin, Senior Planner

Community Development

Re:

CLIPPER PETROLEUM, INC., APPLICANT

Date of submittal:

June 20, 2017

Posting Date:

June 26, 2017

Hearing Date:

July 12, 2017

Plan

C-4 Utility Plan-South Cobb Drive Center

Location

5220 South Cobb Drive, Smyrna, Georgia 30082

Purpose:

VARIANCE APPLICATION(s)

- (1) Variance Application for Setback back corner
- (2) Variance Application for Setback front corner
- (3) Variance Application for Parking

EXHIBIT LIST

Exhibit A	Summary of Conditions Necessitating Variance(s)
Exhibit B	Plat
Exhibit C	Site Plan
Exhibit D	Photographic examples of similar structure
Exhibit E	Paid Tax Receipt
Exhibit F	List of Adjacent Property Owners
Exhibit G	Parking Study
Exhibit H	Legal Description

Exhibit I Campaign Contribution Disclosure Affidavit

APPLICATION FOR VARIANCE TO THE CITY OF SMYRNA

Type or Print Clearly

	(To be completed by City) Ward:
	Application No:
	Hearing Date:
APPLICANT: CLIPPER PETROLEUM, INC	ı •
Business Phone: 770-530-8414 Cell Phone:	
Representative's Name (print): MARK LINKESH	and STEVE HALL
Address: 5317 T.L. BOWER WAY, FLOWERY I	
Business Phone: 770-530-8414 Cell Phone: E-Mail Address: MLINKESH@CLIPPERDETROLE	Home Phone:
Signature of Representative:	1-11
Signature of Representative:	tate SR.VP
TITLEHOLDER: PALADINS PARTNER	
Business Phone: 770-530-8414 Cell Phone:	
Address: 5317 T.L. BOWER WAY, PLOWERY BI	ANCH GEORGIA 30542
Jan Jan	Me, member
VARIANCE:	
Present Zoning: GC Type of Varia	nce. Setback reduction from 50' to 30' along
South Cobb Drive.	
Explain Intended Use: Convenience Store-Gas Sta	ation and Restaurant
Location: 5220 South Cobb Drive, Smyrna, Geor	gia 30080
Land Lot(s): 753 District: 17th	Size of Tract: 1.74 Acres
To be completed by City)	
Received:	
Posted:	•
Approved/Denied:	

CONTIGUOUS ZONING

North:	Now or formerly BP/McDonalds, 5160 South Cobb Drive (Zaxby's): Zoned GC
East:	Intersection of I-285 and South Cobb Drive
South:	Now or formerly Durga Corp., 5230 South Cobb Drive (Knight's Inn): Zoned GC
West:	2130 Oak Drive (Westhill Subdivision): Zoned RAD

NOTIFICATION OF CONTIGUOUS OCCUPANTS OR LAND OWNERS TO ACCOMPANY APPLICATION FOR VARIANCE

By signature, it is hereby acknowledged that I have	ve been notified that
Intends to make an application for a variance for t	
on the premises described in the application.	
** SEE EXHIBIT "F" ATTACHED FOR I	LIST OF ADJACENT PROPERTY OWNERS
NAME	ADDRESS

VISUAL MATERIALS

Handouts are not permitted during the meeting or large renderings and plats that require use of an easel.

Any questions regarding presentations can contact: Terri Graham, City Clerk at 770-319-5303

ZONING ORDINANCE SEC. 1403. VARIANCE REVIEW STANDARDS.

- (a) In rendering its decisions, the License and Variance Board or Mayor and City Council shall consider the following factors:
 - (1) Whether there are extraordinary and exceptional conditions applying to the property in question, or to the intended use of the property, that do not apply generally to other properties in the same district.
 - (2) Whether any alleged hardship which is self-created by any person having an interest in the property or is not the result of mere disregard for or ignorance of the provisions from which relief is sought.
 - (3) Whether strict application of the relevant provisions of the zoning code would deprive the applicant of reasonable use of the property for which the variance is sought.
 - (4) Whether the variance proposed is the minimum variance which makes possible the reasonable use of the property.

EXHIBIT A

Summary of Conditions Necessitating Variances

Summary of Conditions Necessitating Variances 5220 South Cobb Drive, Smyrna, Georgia 30080

1. Whether there are extraordinary and exceptional conditions applying to the property in question, or to the intended use of the property, that do not apply generally to other properties in the same district.

The Subject Property is 1.74 acres zoned General Commercial. The Subject Property is bordered on the Northern boundary by South Cobb Drive and on the Western boundary by Oak Drive, each of which are zoned General Commercial. The Knight's Inn is the adjacent property along the Eastern boundary and is also zoned General Commercial. The rear or Southern boundary is adjacent to the Westhill Subdivision which is zoned RAD single-family attached/detached. It is important to note that entire Southern property line of the Subject Property is adjacent to Westhill Subdivision's detention facility and does not border any residential dwelling.

Three variances are required to build the proposed Convenience Store-Gas Station and Restaurant: 1) a setback variance along South Cobb Drive from 50 feet to 30 feet to accommodate the proposed gas canopy; 2) a parking space variance from 62 to 48 spaces; and 3) a setback variance for the southwest corner of the convenience store from 50 feet to 41 feet.

2. Whether any alleged hardship which is self-created by any person having an interest in the property or is not the result of mere disregard for or ignorance of the provisions from which relief is sought.

The hardship is not self-created by any person having an interest in the property and is not the result of a disregard or ignorance of the provisions from which relief is sought. The Subject Property is currently undeveloped and unproductive. The Applicant has made every effort to design the project to comply with city zoning regulations. The expansion of South Cobb Drive over the years has rendered the Subject Property difficult to develop due to the loss of buildable area. The survey shows that there is 200 feet of right of way fronting this location on South Cobb Drive.

3. Whether strict application of the relevant provisions of the zoning code would deprive the applicant of reasonable use of the property for which the variance is sought.

Strict application of the relevant provisions of the zoning code would deprive the Applicant of the reasonable use of the Subject Property for which the variances are sought. Strict application of city's zoning regulations would render the development of the Subject Property economically unfeasible. Due to the roadway expansion, similar variances have been granted other facilities along South Cobb Drive.

4. Whether the variance proposed is the minimum variance which makes possible the reasonable use of the property.

The three proposed variances are the minimum required to make possible the reasonable use of the Subject Property. The setback variance along South Cobb Drive only affects the distance between the proposed gas canopy and the roadway. The parking space variance from 62 to 48 spaces is compensated for by the fact that 20 spaces for vehicles are available at the gas pumps which are not included in the calculation. The setback variance for a small portion of the southwest corner of the convenience store is adjacent to the Westhill Subdivision water detention facility and is not adjacent to a residence.

EXHIBIT B

Plat




EXHIBIT C

Site Plan







EXHIBIT D

Photographic example of similar structure(s)












EXHIBIT E

Paid Tax Receipt



 CARLA JACKSON
 TAX COMMISSIONER

 CHELLY MCDUFFIE
 CHIEF DEPUTY

 Phone:
 770-528-8600

 Fax:
 700-528-8679
 770-528-8679

Printed: 6/15/2017

Cobb County Online Tax Receipt

Thank you for your payment!

Payer: PALADINS PARTNERS LLC

PALADINS PARTNERS LLC

Payment Date: 10/14/2016

Tax Year	Parcel ID	Due Date		Appeal Amount		Taxes Due
2016	17075300110	10/17/2016	Pay:	N/A	or	\$0.00
Interest	Penalty	Fees	Total Due	Amount Paid		Balance
\$0.00	\$0.00	\$0.00	\$0.00	\$11,501.30		\$0.00



Scan this code with your mobile phone to view this

EXHIBIT F

List of Adjacent Property Owners

List of Adjacent Property Owner(s)

Clipper Petroleum, Inc.

5220 South Cobb Drive, Smyrna, Georgia 30080

TPN P061138
5201 South Cobb Drive Smyrna, Georgia 30080
SJAC Food Groups, LLC (Zaxby's)
c/o J. Martin Lett, Registered Agent
1800 Peachtree Street NW
Suite 809
Atlanta, Georgia 30309

TPN 17075300550

2301 Oakton Place Smyrna, Georgia 30080
Westhill Townhome Association, Inc.
c/o Partners Management, Registered Agent
3456 Hardee Avenue
Atlanta, Georgia 30341

TPN 17075300200
5191 South Cobb Drive, Smyrna, Georgia 30080
RaceTrac Petroleum, Inc.
c/o The Corporation Company, Registered Agent
328 Alexander Street
Suite 10
Marietta, Georgia 30060

O W C Ltd C/O Racetrac Petroleum 256r Po Box 22845 Oklahoma City Ok 73123

TPN 17075300320
5150 South Cobb Drive, Smyrna, Georgia 30080
McDonald's Corporation
c/o The Prentice-Hall Corp. System
40 Technology Parkway South
#300
Norcross, Georgia 30092

McDonalds Corporation c/o BP America Inc. PO Box 182571 Columbus, Ohio 43218-2571

McDonalds Corporation c/o BP America Inc. PO Box 182571 Columbus, Ohio 43218-2571

TPN 17075300390 2242 Knoxhill View, Smyrna, Georgia 30080 Aaron L. James 2242 Knoxhill View Smyrna, Georgia 30080

TPN: 17075300120
5230 South Cobb Drive, Smyrna, Georgia 30080
Durga Corp. d/b/a Knight's Inn
c/o Nagin Patel, Registered Agent
5230 South Cobb Drive, SE
Smyrna, Georgia 30080

TPN: 17075300260
South Cobb Drive, Smyrna, Georgia 30080
Aspen Hills Associates, LLC
c/o Richard H. Lee
3340 Peachtree Road, NE
Suite 600
Atlanta, Georgia 30326

TPN 17075300180

5221 South Cobb Drive, Smyrna, Georgia 30080

Aspen Hills Associates, LLC

c/o Richard H. Lee

3340 Peachtree Road, NE

Suite 600

Atlanta, Georgia 30326

TPN 7075300410
2251 Knowhill View, Smyrna, Georgia 30080
Onike Abdul
2251 Knoxhill View
Smyrna, Georgia 30080

TPN 17075300010

1600 Tibarron Parkway, Smyrna, Georgia 30080

OCP Ashbrook Crossing, LLC

c/o David DeShong, Registered Agent

2964 Peachtree Road, N.W.

Suite 360

Atlanta, Georgia 30305




CERTIFIED MAIL® RECEIPT Domestic Mail Only For delivery information, visit our website at www.usps.com® ATLANTA, GA 30309 Certified Mail Fee \$3.35 0 0650 MAIN 18 Extra Services & Fees (check box, add fee as populatiate) Return Receipt (hardcopy) \$17,00 Return Receipt (electronic) Postmark \$0.00 ☐ Certified Mail Restricted Delivery **Mare** Adult Signature Required **\$0.00** Ö Adult Signature Restricted Delivery \$ ostage \$6.65 Fotal Postage and Fees \$12.75 DAC FOOD GOUDS, LC (ZWO YS) C/O J. MARTIN

lett legistered Agent. 1800 Peachtre Street

City State. 219+4° 809 10+11 and 1000 1013, 3030° PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Inst








Street and Apt. No., or to box No.
Registored Agent. 328 Alexander Street

Form 3800, April 2015 PSN 7530-02-000-9537 See Rever



70	U.S. Postal Service™ CERTIFIED MAIL® REC Domestic Mail Only	EIPT
= 0	For delivery information, visit our website	at www.usps.com®.
7	Certified Mail Fee \$3.35	V650
	\$ \$2.75 Extra Services & Fees (check box, add fe priespinariate)	18
0000	Return Receipt (hardcopy)	GGT 0900E Rostmark Here
0340	Postage \$7.25 \$ Total Postage and \$23.35	5 (06)20/2017 (5)
7016	\$ Sent To MCD Trads Corporation Close 1 Street and Apt. No., or POBOX No. D. 204, 182571 Co. Spale, 214, 182571 Co. University Co. Disc. 43218	Amenta Inc.
	PS Form 3800, April 2015 PSN 7530-02-000-9047	See Reverse for Instructions

:

•

EXHIBIT G

Parking Study



A&R Engineering Inc.

2160 Kingston Court, Suite O Marietta, GA 30067 Tel: (770) 690-9255 Fax: (770) 690-9210 www.areng.com

Memorandum

To:

City of Smyrna

From:

Abdul K. Amer, PE, PTOE

Date:

June 13, 2017

Subject:

Parking Demand Study for 5220 South Cobb Drive, Smyrna, Georgia

The purpose of this memorandum is to determine the amount of parking necessary for a proposed gas station and fast-food restaurant development located at 5220 South Cobb Drive in Smyrna, Georgia. The development will include a gas station with 20 fueling positions and 4,238 square foot convenience store as well as a 2,921 square foot fast-food restaurant with drive-thru window. Per the City of Smyrna zoning requirements, the site requires 23 parking spaces under the general business, commercial or personal service establishment category (5.5 spaces per 1,000 sf) and 39 parking spaces for restaurant category (1 space per 75 sf), totaling 62 spaces. The owner is seeking a parking variance that would allow the development to have a total of 48 spaces. This analysis will determine the amount of parking necessary using industry parking standards as well as parking demand data collected at a similar facility. The proposed location of the development is shown in Figure 1, below.




Figure 1 - Proposed Location

Projected Trip and Parking Generation

Trip generation estimates for the proposed development were based on the rates and equations published in the 9th edition of the Institute of Transportation Engineers (ITE) Trip Generation report. This reference contains traffic volume count data collected at similar facilities nationwide. The trip generation was based on the following ITE Land Uses: 934 - Fast-Food Restaurant with Drive-Thru Window and 945 - Gasoline/Service Station with Convenience Market. The calculated total trip generation for the proposed development is shown below in Table 1.

				TABL	.E 1				· · · · · ·		
			TR	IP GEN	ERATIO	N					
Land Use	Size	A.M. Peak Hour		Midday Peak Hour		P.M. Peak Hour			24-Hour		
	5120	Enter	Exit	Total	Enter	Exit	Total	Enter	Exit	Total	Two-Way
Gasoline Station with Convenience Market	20 Fueling Postions	102	101	203	136	135	271	136	135	271	3,256
Pass-by Trips 62%	[28%] (56%)	-63	-63	-126	-38	-38	-76	-76	-76	-152	-1.520
Fast-Food Restaurant with Drive-Thru Window	2,921 sf	68	65	133	72	66	138	50	45	95	1,449
Pass-by Trips 49%	(50%) [25%]	-33	-32	-65	-18	-17	-35	-25	-23	-48	-480
Total Without Reduc	tions	170	166	336	208	202	410	186	181	367	4,705
Total with Reduction	ons	74	71	145	152	147	299	85	82	167	2,705

^{*}Pass-by trips AM% [MID%] (PM%)


The ITE Parking Generation, 4th Edition contains parking demand data for 106 land uses during peak periods on weekdays and weekends. The respective rates in the ITE Parking Generation for Fast-Food Restaurant with Drive-Thru Window and Gasoline Station with Convenience Market are 9.98 spaces/1,000 sf and 0.75 spaces/fueling position, respectively. Using these rates, the development could be expected to generate a peak parking demand of 44 spaces during the week. The total proposed amount of parking spaces provided will exceed the ITE parking generation by 4 spaces in the peak hour.


Parking Demand Data

Parking operations were observed at the adjacent BP/McDonald's development on a weekday during the peak hours of 6:00 a.m. to 9:00 a.m., 12:00 p.m. to 2:00 p.m., and 4:00 p.m. to 6:00 p.m. This adjacent development provides 46 parking spaces for a 12-pump gas station with convenience store and fast-food restaurant with drive-thru window. The existing count data is shown in Table 2 and graphically in the figures, below.

^{**24-}hour pass-by trips estimated by considering PM pass-by as 10% of daily; midday pass-by rate assumed as half of the PM pass-by rate

	7	TABI	F2				
EXISTING PARKING DEMAND							
(46 SPACES AVAILABLE)							
TIME		KDAY	<u> </u>	r	KDAY		
11141	Volume	Capacity	TIME	Volume	Capacity		
6:00 AM	12	26.09%	1:45 PM	29	63.04%		
6:15 AM	15	32.61%	2:00 PM	24	52.17%		
6:30 AM	19	41.30%	4:00 PM	16	34.78%		
6:45 AM	20	43.48%	4:15 PM	15	32.61%		
7:00 AM	20	43.48%	4:30 PM	12	26.09%		
7:15 AM	24	52.17%	4:45 PM	12	26.09%		
7:30 AM	25	54.35%	5:00 PM	13	28.26%		
7:45 AM	20	43.48%	5:15 PM	13	28.26%		
8:00 AM	18	39.13%	5:30 PM	16	34.78%		
8:15 AM	18	39.13%	5:45 PM	15	32.61%		
8:30 AM	21	45.65%	6:00 PM	13	28.26%		
8:45 AM	20	43.48%					
9:00 AM	18	39.13%					
12:00 PM	23	50.00%					
12:15 PM	27	58.70%					
12:30 PM	20	43.48%					
12:45 PM	22	47.83%					
1:00 PM	23	50.00%					
1:15 PM	20	43.48%					
1:30 PM	23	50.00%					







Future Estimated Parking Demand

Because the adjacent BP/McDonald's development has 8 fewer fueling postions than this proposed development, the existing parking counts were increased by 4.3% to analyze the future demand conservatively. The proposed development will provide a total of 48 spaces (not including gas pumps). The future parking demand for the site is shown in Table 3 and graphically in the figures, below.

		Tan		 		
TABLE 3 FUTURE PARKING DEMAND						
	(4	8 SPACES	AVAILABLI	E)		
TIME		KDAY			KDAY	
THALE	Volume	Capacity	TIME	Volume	Capacity	
6:00 AM	13	27.08%	1:45 PM	30	62.50%	
6:15 AM	16	33.33%	2:00 PM	25	52.08%	
6:30 AM	20	41.67%	4:00 PM	17	35.42%	
6:45 AM	21	43.75%	4:15 PM	16	33.33%	
7:00 AM	21	43.75%	4:30 PM	13	27.08%	
7:15 AM	25	52.08%	4:45 PM	13	27.08%	
7:30 AM	26	54.17%	5:00 PM	14	29.17%	
7:45 AM	21	43.75%	5:15 PM	14	29.17%	
8:00 AM	19	39.58%	5:30 PM	17	35.42%	
8:15 AM	19	39.58%	5:45 PM	16	33.33%	
8:30 AM	22	45.83%	6:00 PM	14	29.17%	
8:45 AM	21	43.75%				
9:00 AM	19	39.58%			`	
12:00 PM	24	50.00%				
12:15 PM	28	58.33%				
12:30 PM	21	43.75%				
12:45 PM	23	47.92%				
1:00 PM	24	50.00%				
1:15 PM	21	43.75%				
1:30 PM	24	50.00%				





Typically, supply should exceed peak hour demand to allow for vehicles to easily find a parking space and minimize circulation through the parking areas to search for available spaces. According to the Urban Land Institute (ULI), a parking area is considered to have reached optimum capacity at 85%. This allows for nominal fluctuations in the peak demand and the additional capacity needed to minimize unnecessary circulation through the parking areas. As can be seen in Table 3 above, the capacity at the peak parking period is less than 63% with the future parked vehicle counts.

Conclusions & Recommendations

As shown in the analysis, the peak parking demand is estimated to equal 30 spaces or 62.50% capacity after the completion of the proposed development. The amount of parking needed to remain below optimum capacity at the peak of demand would be 35 spaces (30 spaces ÷ 85% = 35 spaces) in order to allow for nominal fluctuations in the peak demand and the additional capacity needed to minimize unnecessary circulation. Although the provided amount of parking does not meet City of Smyrna standards and requirements, there is estimated to be adequate parking based on ITE Parking Generation rates as well as parking count data collected at a similar facility. It should be noted that the results outlined in this study do not include the amount of traffic that will utilize parking at the gas pumps to make both gas and non-gas transactions. Based on these reasons, it is recommended the development be granted a parking variance from 62 required spaces to 48 provided spaces.

EXHIBIT H LEGAL DESCRIPTION

Legal Description

Parcel A:

All that tract or parcel of land lying and being in Land Lot 753, 2nd Section, 17th District of Cobb County, Georgia, and being more particularly described as follows:

Beginning at the Southwest corner of the intersection of South Cobb Drive and Oak Drive, and extending thence South 87 degrees 41 minutes West along the South side of Oak Drive 160 feet to a point; thence South 2 degrees East 145 feet to a point; thence South 87 degrees 41 minutes West 56.4 feet to a point; thence South 2 degrees 00 minutes East 100 feet to a point; thence South 89 degrees 11 minutes East 391.9 feet to a point on the West side of South Cobb Drive; thence North along the West side of South Cobb Drive 319.2 feet to the point of beginning.

Parcel B:

All that tract or parcel of land lying and being in Land Lot 753 of the 17th District, City of Smyrna, Cobb County, Georgia and being more particularly described as follows:

To find the Point of Beginning commence at the intersection of the westerly Right of Way line of South Cobb Drive (SR 280), having a 200 foot Right of Way and the southerly Right of Way line

of Oak Drive having a 50 foot Right of Way; thence along the southerly Right of Way line of Oak Drive North 84 Degrees 07 Minutes 51 Seconds West, 48.87 feet to a point; thence continue along the southerly Right of Way line of Oak Drive South 85 Degrees 59 Minutes 36 Seconds West, 124.20 feet to a point and The Point of Beginning; thence leaving the southerly Right of Way line of Oak Drive South 04 Degrees 14 Minutes 03 Seconds East, 135.00 feet to a point; thence South 85 Degrees 49 Minutes 24 Seconds West, 56.40 feet to a point; thence North 03 Degrees 57 Minutes 27 Seconds West, 135.17 feet to a point on the southerly Right of Way line of Oak Drive; thence along the southerly Right of Way line of Oak Drive North 85 Degrees 59 Minutes 36 Seconds East, 55.75 feet to The Point of Beginning containing 0.17 Acres.

EXHIBIT I

Campaign Contribution Disclosure Affidavit

ZONING DISCLOSURE REPORT

Has the applicant* made, within two years immediately preceding the filing of this application for rezoning, campaign contributions aggregating \$250 or more or made gifts having in the aggregate a value of \$250 or more to the Mayor or any member of the City Council or Planning and Zoning Board who will consider this application? ND
If so, the applicant* and the attorney representing the applicant* must file a disclosure report with the Mayor and City Council of the City of Smyrna, within 10 days after this application is filed.
Please supply the following information, which will be considered as the required disclosure:
The name of the Mayor or member of the City Council or Planning and Zoning Board to whom the campaign contribution or gift was made: \$100 - MAYOK MAX BAKON CAMPAGN
The dollar amount of each campaign contribution made by the applicant* to the Mayor or any member of the City Council or Planning and Zoning Board during the two years immediately preceding the filing of this application, and the date of each such contribution: **Ploo - Mayor May Bacon**
An enumeration and description of each gift having a value of \$250 or more by the applicant* to the Mayor and any member of the City Council or Planning and Zoning Board during the two years immediately preceding the filing of this application:
Does the Mayor or any member of the City Council or Planning and Zoning Board have a property interest (direct or indirect ownership including any percentage of ownership less than total) in the subject property?
If so, describe the natural and extent of such interest:

ZONING DISCLOSURE REPORT (CONTINUED)

Does the Mayor or any member of the City Council or Planning and Zoning Board have financial interest (direct ownership interests of the total assets or capital stock where su ownership interest is 10% or more) of a corporation, partnership, limited partnership, fir enterprise, franchise, association, or trust, which has a property interest (direct or indire ownership, including any percentage of ownership less than total) upon the subject property?
If so, describe the nature and extent of such interest:
Does the Mayor or any member of the City Council or Planning and Zoning Board have spouse, mother, father, brother, sister, son, or daughter who has any interest as described above No
If so, describe the relationship and the nature and extent of such interest:
If the answer to any of the above is "Yes", then the Mayor or the member of the City Council of Planning and Zoning Board must immediately disclose the nature and extent of such interest, in writing, to the Mayor and City Council of the City of Smyrna. A copy should be filed with this application**. Such disclosures shall be public record and available for public inspection any time during normal working hours.
We certify that the foregoing information is true and correct, this 20-day of Jwe 2017. (Applicant's Signature) (Attorney's Signature, if applicable)

<u>Notes</u>

^{*} Applicant is defined as any individual or business entity (corporation, partnership, limited partnership, firm enterprise, franchise, association or trust) applying for rezoning action.

^{**} Copy to be filed with the City of Smyrna Zoning Department and City Clerk along with a copy of the zoning application including a copy of the legal description of the property.